

Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application.

Listing of Claims:

1. (Original) A load balancer connected to a network connecting a plurality of clients requesting services and a plurality of servers executing operations based on said requests from said clients and replying with processing results comprising:

means for examining header information in request data from said client;

means for estimating, based on said header information and contents of said request data, processing load resulting from execution by said servers;

means for storing totals of said load estimates over a fixed past period for each of said servers;

means for dynamically selecting a server to which said request data is to be sent based on estimates of processing load on said servers resulting from current request data and total load for said servers; and

means for forwarding said request data to said servers.

2. (Original) A load balancer as described in claim 1 further comprising:

means for identifying a requested service type from said header of said request data; and

means for estimating processing load on said servers based on said service type.

3. (Original) A load balancer as described in claim 1 further comprising:

means for calculating requested data size based on said request data header and information about content data in said servers; and

means for estimating processing load on said servers based on said request data size.

4. (Original) A load balancer as described in claim 1 further comprising:

means for identifying program types to be executed by said servers based on said request data header; and

means for estimating processing load on said servers based on execution of said programs.

5. (Original) A server load estimation method using an information processing device connected to a server and a client sending a service request packet to said server comprising the following steps:

requesting access to all services and all content data that can be provided by said server;

measuring processing load on said server associated with said request; and

generating data used to estimate, using said measurement results, server load resulting from request data from said client based on a header of said request data.

6. (Original) A load estimation method as described in claim 5 wherein, in said step for measuring processing load on said server, server processing load is estimated by measuring response time between when said client sends said service request packet and when a service response packet is received.

7. A load estimation method as described in claim 5 wherein, in said step for measuring processing load on said server, server processing load is estimated by measuring CPU load when said server receives said service request packet and executes an operation based on said request.

8. (Original) A computer-readable storage medium storing a program for implementing a method for estimating server load using an information processing device connected to a server

and a client for sending a service request packet to said server, said method including the following steps:

requesting access to all services and all content data that can be provided by said server;

measuring processing load on said server associated with said request; and

generating data used to estimate, using said measurement results, server load resulting from request data from said client based on a header of said request data.

9. (Original) A load balancing method using a processing device connected to a network connecting a plurality of clients requesting services and a plurality of servers executing operations based on said requests from said clients and replying with results from said operations, said method comprising the following steps:

examining header information in request data from said clients;

estimating, based on said header information and contents of said request data, processing load resulting from execution by said servers;

storing totals of said load estimates over a fixed past period for each of said servers;

selecting dynamically a server to which said request data is to be sent based on estimates of processing load on said servers resulting from current request data and total load for said servers; and

forwarding said request data to said servers.

10. (Original) A computer-readable storage medium storing a program for implementing a method for estimating server load using an information processing device connected to a plurality of clients requesting services and a plurality of servers executing operations based on requests from said clients and replying with results from said operations, said method including the following steps:

examining header information in request data from said clients;

estimating, based on said header information and contents of said request data, processing load resulting from execution by said servers;

storing totals of said load estimates over a fixed past period for each of said servers;

selecting dynamically a server to which said request data is to be sent based on estimates of processing load on said servers resulting from current request data and total load for said servers; and

forwarding said request data to said servers.

11. (New) A load balancer as described in claim 1,
further comprising:

a server load management table used to determine a server
that said request data are to be sent to,

wherein a server processing load resulting from said
request data is estimated and a load status value in said
server load management table is updated each time said load
balancer receives said request data from said clients.

12. (New) A load balancer as described in claim 11,
wherein said means for dynamically selecting a server selects
a server with the lowest value in a load status field of said
server load management table.

13. (New) A load balancer as described in claim 12,
wherein said load status field corresponding to the selected
server is updated with the estimated load evaluation value.

14. (New) A load balancing method as described in claim
9, wherein said processing device comprises a server load

management table used to determine a server that said request data are to be sent to, and further comprising the steps of estimating a server processing load resulting from said request data and updating a load status value in said server load management table each time said request data is received from said clients.

15. (New) A load balancing method as described in claim 14, further comprising the step of selecting a server with the lowest value in a load status field of said server load management table.

16. (New) A load balancing method as described in claim 15, further comprising the step of updating said load status field corresponding to the selected server with the estimated load evaluation value.

17. (New) A computer readable storage medium as described in claim 10, wherein said processing device comprises a server load management table used to determine a server that said request data are to be sent to, and wherein said method further comprises the step of estimating a server processing

load resulting from said request data and updating a load status value in said server load management table each time said request data is received from said clients.

18. (New) A computer readable storage medium as described in claim 17, wherein said method further comprises the step of selecting a server with the lowest value in a load status field of said server load management table.

19. (New) A computer readable storage medium as described in claim 18, wherein said method further comprises the step of updating said load status field corresponding to the selected server with the estimated load evaluation value.